

# Real-time multi-lingual classification and sentiment analysis of text

# **Highlights and Benefits**

- Rapid and accurate real-time text categorization and sentiment analysis
- Adjustable text categorization for domain-specific classes
- Multi-lingual support
- Enhanced sentiment analysis to focus on feature-specific opinion mining
- Linear scalability to increase the number of nodes in the cluster
- Provision to add custom component for added functionalities

### **Client Overview**

The client is a major telecom company providing nationwide telecom services. They wanted a system that performs real-time, multi-lingual classification and sentiment analysis of text data.

# **Challenges**

The client was looking for a solution that allows storing, indexing, and querying PetaBytes (PBs) of data with a very high throughput. Some of the critical requirements were:

- Ingest and parse high volume of data [250M (15 TB) records/day] of varied types (for example, weblogs, email, chat, and files)
- Apply real-time multi-lingual classification and sentiment analysis with very high accuracy (four nines)
- · Store metadata and raw binary data for querying
- Query SLA 5s on cold data

### **Technologies**

R, Latest Semantic Analysis, Text Mining, Apache Kafka, Apache HBase, Elasticsearch, Apache Storm

### **Our Solution**

The solution provided by Gathr had three modules:

- Analytics Module: Responsible for performing text categorization and sentiment analysis. It implements a matrix decomposition-based text-classification algorithm. The incoming test document had to pass through a series of pre-processing and numerical computations. Gathr designed the classifier to achieve very low latency.
- Event Store/ Indexer Abstraction Layer: Responsible for storing and indexing the information based on the configuration
- Publish Module: Responsible for publishing the analytical result or event data to the external system




Figure 1: Solution Architecture



Schedule Demo ightarrow Free 14-days trial ightarrow